

®

Focus®

Walkbehind Autoscrubber®



Clarke®

www.clarkeus.com

Cleaning Power Since 1916.

The Large Capacity Focus Automatic Floor Scrubber for those Big Jobs

Maximize your cleaning productivity with the large scrub path and run time options of the Focus scrubber line.

- Large 28", 33" and 38" cleaning path options
- Large 30 gallon Solution & Recovery tank capacities
- Long battery run time options
- Choose the value of the Standard "S" model, or the advanced features of the Luxury "L" model
- Trim and highly maneuverable design
- Rugged to stand up to professional needs




Low brush deck height is extended to allow close edge cleaning to reduce costly secondary operations.



Beyond ergonomics, the "L" model also features one touch scrub control with a multi-function display, auto squeegee lift in reverse, and automatic head pressure regulation.

Focus® has Productive Features to Lower Overall Cost of Cleaning



Available with:


- 250 or 330 AH batteries - choose batteries to provide 5+ hours of run time
- Pad Driver or Poly, Nylon, or a variety of grit brushes - a complete selection to fit your application needs
- Gum Rubber or Linatex squeegee blades - the best materials to leave the floor dry with any chemical
- Casters for smooth or rough floors - reduce wheel noise while adding durability
- Pneumatic or foam filled tires - your preference for the application to provide the best traction
- Off aisle spray & vac wand - get into those tight spots where the scrubber won't go
- ESP Recycling System - extend the runtime between tank fills by recycling
- Parking Brake - for facilities requiring that extra security on sloping floors and ramps
- Clarke Battery Maintenance System (CBMS) - Protect your battery investment while maintaining runtime



"S" Model features a simple, ergonomic control panel with all control functions placed at the operators finger tips.



Focus® Walk-Behind scrubbers feature a smart on-board battery charger that protects your batteries during charging.



KEY FEATURES

- Long Run Time Capacity
- Adjustable Brush Pressure
- On-Board Battery Charger
- Ergonomic Controls
- Transaxle Drive
- Trim Design for Best Line-of-Sight
- Impressive Warranty

SPECIFICATIONS

	S28	S33	S38	L28	L33	L38
Part Number	05210K	05220K	05230K	05211K	05221K	05231K
Cleaning Swath	28" (71 cm)	33" (84 cm)	38" (97 cm)	28" (71 cm)	33" (84 cm)	38" (97 cm)
Power Supply	36 Volt (6-6 Volt batteries) 250 or 330 AH					
Vacuum Motor	1 hp (.74 kW) 3-stage					
Solution/Recovery Tank	30 gallons (114 L)					
Brush Motors (2)	1 hp (.74 kW)					
Brush Speed/Pressure	200 RPM / 150 to 220 lbs. (68 to 100 kgs.)					
Auto Brush Pressure Control	No			Yes		
Auto Squeegee Lift (Rev)	No			Yes		
Speed (Forward/Reverse)	Variable to 230 ft/min (70 m/min) / Variable to 180 ft/min (55 m/min)					
Cleaning Grade	6 degree incline					
Max Cleaning Rate	32,000 sq ft/hr	38,000 sq ft/hr	43,000 sq ft/hr	32,000 sq ft/hr	38,000 sq ft/hr	43,000 sq ft/hr
On-board Charger	36 Volt, 21A, 115 V/60 Hz					
Dimensions (Length)	67.3" (171 cm)					
Dimensions (Width)	30" (76 cm)	36" (91 cm)	40" (102 cm)	30" (76 cm)	36" (91 cm)	40" (102 cm)
Dimensions (Height)	43.75" (111 cm)					
Weight w/330 AH batteries	1005 lbs (456 kg)	1015 lbs (460 kg)	1025 lbs (465 kg)	1005 lbs (456 kg)	1015 lbs (460 kg)	1025 lbs (465 kg)
Shipping Weight w/330 AH batt	1308 lbs (493 kg)	1318 lbs (598 kg)	1328 lbs (602 kg)	1308 lbs (493 kg)	1318 lbs (598 kg)	1328 lbs (602 kg)
Warranty	Polydur® Tanks - 8 Years, Parts - 3 Years, Labor - 1 Year, Batteries - 90 days full, 18 mos. pro-rated (Clarke® battery warranty doubles with purchase of CBMS)					

WHO USES THIS MACHINE

- Schools & Universities
- Large Retail Stores & Supermarkets
- Hospitals
- Hotels
- Warehouses
- Arenas & Athletic Facilities

WHAT ENHANCES ITS PRODUCTIVITY

- Large solution & recovery tanks
- Long run time battery capacity
- Accu-Track® breakaway squeegee features no tool adjustments
- Highly maneuverable with excellent sight lines

- Solution and brushes turn off in neutral
- Easy to operate
- Automatic head pressure regulation (L Models)
- Automatic squeegee lift in reverse (L Models)
- High recovery drain
- Drain and fill from the rear of the machine

WHAT IT DOES BEST

- Fast routine scrubbing
- Deep scrubbing
- Double scrubbing

- Leaves the floor dry to reduce slip/fall hazards
- Transport easily

WHAT ARE THE SAFETY FEATURES?

- Dynamic braking slows machine to a smooth stop
- Safety yellow palm start buttons
- Key switch to prevent unauthorized use
- Circuit breaker protect all electrical components
- Automatic parking brake option

Clarke®

2100 Hwy. 265
Springdale, AR 72764
www.clarkeus.com

DISTRIBUTED BY:

Customer Relations: 1-800-253-0367
Fax Orders to: 1-800-825-2753
Technical Service: 1-800-356-7274

